



**Middle East
Sofia Trade**



info@sofia-trading.com
sofiatrade@yahoo.com



www.sofia-trading.com



1th floor, NO29, hasan Moqhadas,
Ahmad Ghasir AVE., Argentina
square., Tehran, Iran.



0098(21)88509011-14

Analyse Data sheet

<i>Diethylene Glycol (DEG)</i>			
Characteristic	Test Method	Unit	Value
PURITY	ASTM E - 202	WT.%	99.8 MIN
MONOETHYLENE GLYCOL	ASTM E - 202	WT.%	0.05 MAX.
TRIETHYLENE GLYCOL	ASTM E - 202	WT.%	0.05 MAX.
WATER CONTENT	ASTM E - 202	WT.%	0.05 MAX
ACIDITY AS ACETIC ACID	ASTM D - 1613	PPM	50 MAX
ASH CONTENT	ASTM E - 254/A	PPM	50 MAX
SP.GR. (20/20 °C)	ASTM D - 891	-	1.1175-1.1196
COLOR	ASTM D - 1209	Pt - Co	10 MAX
DISTILLATION @ 760 MM-Hg			
IBP	ASTM D - 1078	°C	242 MIN
DP	ASTM D - 1078	°C	250 MAX