



**Middle East
Sofia Trade**



info@sofia-trading.com
sofiatrade@yahoo.com



www.sofia-trading.com



1th floor, NO29, hasan Moqhadas,
Ahmad Ghasir AVE., Argentina
square., Tehran, Iran.



0098(21)88509011-14

Analyse Data sheet

TOLUENE			
#	Property	SPECIFICATION VALUE	Test Method
1	Purity wt. %	99.9min	ASTM D 2360-11
2	Non Aromatic wt. %	0.1max	ASTM D 2360-11
3	Benzene wt. %	0.03max	ASTM D 2360-11
4	Distillation range °C at 760mm Hg	1.0max including 110.6	ASTM D 850-02
5	Appearance	Clear liquid free of sedimentation or haze at 18.3 to 25.6 °C	VISUAL
6	Total sulfur wt. ppm	1.0max	ASTM D 4045-04
7	Copper corrosion	Pass (1a or 1b)	ASTM D 849-11
8	Color, Pt-co scale	20max	ASTM D 1209-11
9	Acid wash color	2max	ASTM D 848-09
10	Acidity	None detected	ASTM D 847-08
11	Specific Gravity at 15.56 °C	0.869-0.873	ASTM D 4052-11
	S02/H2S	None detected	ASTM D 853-04